Author Index

Abe, M.	Active wheel steering and yaw moment control combined to maximize stability as well as vehicle responsiveness during quick lane change for active vehicle handling safety	115–124
Aghav, Y. V.	Accurate prediction of the rate of heat release in modern direct injection diesel engine	663–675
Ahmadian, M.	An alternative semiactive control method for sport utility vehicles	125–139
Al Hakim, B.	Effects of weigh-in-motion errors on pavement thickness design	141–151
Ameen, A.	A comparison of combustion characteristics of waste cooking oil with diesel as fuel injection in a direct injection diesel engine	237–243
Attridge, A.	Developments in car door latching systems	819–830
Austin, L.	Automotive test drive cycles for emission measurement and real-world emission levels – a review	555–564
Bae, D.	A fatigue design method for spot-welding lap joints	181–189
Bae, C. S.	Mathematical model of diesel fuel injection equipment incorporating non-linea fuel injection	191–204
Bae, C. S.	Development of cavitation and enhanced injector models for diesel fuel injection systems simulation	607–618
Bae, C.	Bouncing of the diesel injector needle at the closing stage	691–700
Ball, A.	The on-line detection of engine misfire at low speed using multiple feature fusion with fuzzy pattern recognition	391–402
Bang, J.-H.	Sliding mode control for anti-lock brake system of passenger vehicles featuring electrorheological valves	897–908
Bannikov, M. G.	Potential of use of ion implantation as a means of catalyst manufacturing	385–390
Bari, S.	A comparison of combustion characteristics of waste cooking oil with diesel as fuel injection in a direct injection diesel engine	237–243
Bari, S.	Performance deterioration and durability issues while running a diesel engine with crude palm oil	785–792
Bari, S.	Filter clogging and power loss issues while running a diesel engine with waste cooking oil	993–1002
Barton, D. C.	The development of a material model for cast iron that can be used for brake system analysis	349–362
Bass, C. R.	Fracture tolerance of the male forearm: the effect of pronation versus supination	649–654
Bass, C. R.	Comparison of upper extremity test devices for the evaluation of frontal air bags	795–804
Benajes, J.	Modelling of turbocharged diesel engines in transient operation. Part 1: insight into the relevant physical phenomena	431–441
Benajes, J.	Modelling of turbocharged diesel engines in transient operation. Part 2: wave action models for calculating the transient operation in a high speed direct injection engine	479–493
Bermudez, V.	Modelling of turbocharged diesel engines in transient operation. Part 1: insight into the relevant physical phenomena	431–441
Best, M. C.	An automated driver based on convergent vector fields	329–347
Blackketter, D. M.	Three-point seatbelt maternal comfort and fetal safety	173–180
Blough, J.	Dynamic testing of shock absorbers under non-sinusoidal conditions	373–384
Brach, R. M.	Impact throw model for vehicle–pedestrian collision reconstruction	443–453
Brooks, P. C.	The development of a material model for cast iron that can be used for brake system analysis	349–362
Buttsworth, D. R.	Transient response of an erodable heat flux gauge using finite element analysis	701–706
Chang, H. G.	Simulation on the characteristic of gas flow and mixing for the location of the oxygen sensor in the exhaust system	161–169
Chase, J. G.	Automated tuning of an engine management unit for an automotive engine	841–850
Chen, L.	System dynamic modelling and adaptive optimal control for automatic clutch engagement of vehicles	983–992
Cherkasov, J. A.	Potential of use of ion implantation as a means of catalyst manufacturing	385–390
Cho, N. G.	A simulation study of the control algorithm for a ball screw type motor-driven power steering system	11—2
Cho, Y.	Simulation on the characteristic of gas flow and mixing for the location of the oxygen sensor in the exhaust system	161–169

© IMechE 2002

Cho, D.	Implementation and vehicle tests of a vehicle stop-and-go cruise control system	537–544
Cho, S.	Bouncing of the diesel injector needle at the closing stage	691–700
Cho, M.-S.	Sliding mode control for anti-lock brake system of passenger vehicles featuring electrorheological valves	897–908
Cho, Y. M.	Self-learning approach to automatic transmission shift control in a commercial construction vehicle during the inertia phase	909–920
Choi, S.-B.	Sliding mode control for anti-lock brake system of passenger vehicles featuring electrorheological valves	897–908
Choi, G.-W.	Self-learning approach to automatic transmission shift control in a commercial construction vehicle during the inertia phase	909–920
Chrstos, J. P.	Validation of a non-linear vehicle dynamics simulation for limit handling	319–327
Chung, J. T.	Simulation on the characteristic of gas flow and mixing for the location of the oxygen sensor in the exhaust system	161–169
Clausing, E. M.	Application of dynamic band brake model for enhanced drivetrain simulation	873–882
Collop, A. C.	Effects of weigh-in-motion errors on pavement thickness design	141–151
Craig, S.	Automated tuning of an engine management unit for an automotive engine	841–850
Crandall, J. R.	Fracture tolerance of the male forearm: the effect of pronation versus supination	649–654
Crandall, J. R.	Comparison of upper extremity test devices for the evaluation of frontal air bags	795–804
Dani, A. D.	Accurate prediction of the rate of heat release in modern direct injection diesel engine	663–675
Data, S.	Objective evaluation of handling quality	297–305
Dettki, F.	A test method for the quantification of on-centre handling with respect to cross-wind	259–266
Dixon, P. J.	An automated driver based on convergent vector fields	329–347
dos Santos, E. S.	Fatigue damage analysis in an automobile stabilizer bar	865–872
Duma, S. M.	Fracture tolerance of the male forearm: the effect of pronation versus supination	649–654
Duma, S. M.	Comparison of upper extremity test devices for the evaluation of frontal air bags	795–804
Dwyer-Joyce, R. S.	Wear of diesel engine inlet valves and seat inserts	205–216
Eppinger, R.	Comparison of upper extremity test devices for the evaluation of frontal air bags	795–804
Feng, J.-Z.	The rapid development of a vehicle electronic control system and its application to an antilock braking system based on hardware-in-the-loop simulation	95–105
Fessler, H.	The design of overlapped crankshafts. Part 2: web shape	655–662
Fletcher, D. W.	Simulation of the operation of a climatic wind tunnel	23–33
Frigerio, F.	Objective evaluation of handling quality	297–305
Fujii, Y.	Application of dynamic band brake model for enhanced drivetrain simulation	873–882
Galindo, J.	Modelling of turbocharged diesel engines in transient operation. Part 2: wave action models for calculating the transient operation in a high speed direct injection engine	479–493
Gao, Z.	A theoretical investigation of two possible modifications to reduce pollutant emissions from a diesel engine	619–628
Garrott, W. R.	Vehicle dynamics modelling for the National Advanced Driving Simulator	307–318
Gawrilenko, P. N.	Potential of use of ion implantation as a means of catalyst manufacturing	385–390
George, S.	Comparison of upper extremity test devices for the evaluation of frontal air bags	795–804
Giacomin, J. A.	On the need for bump event correction in vibration test profiles representing road excitations in automobiles	279–295
Goel, V. K.	Stiffness properties of small-sized pneumatic tyres	107–114
Gong, W.	A multistage combustion model and soot formation model for direct-injction diesel engines	495–504
Gordon, T. J.	An automated driver based on convergent vector fields	329–347
Gruenberg, S.	Dynamic testing of shock absorbers under non-sinusoidal conditions	373–384
Grygier, P. A.	Vehicle dynamics modelling for the National Advanced Driving Simulator	307–318
Gu, F.	The on-line detection of engine misfire at low speed using multiple feature fusion with fuzzy pattern recognition	391–402
Guzzella, L.	Modelling of a pressure wave supercharger including external exhaust gas recirculation	217–235
Haghgooie, M.	Application of dynamic band brake model for enhanced drivetrain simulation	873–882
Hagiwara, I.	Finite element simulation of the static characteristics of a vehicle rubber mount	965–974
Hahn, J.-O.	Self-learning approach to automatic transmission shift control in a commercial construction vehicle during the inertia phase	909–920
Han, C. S.	A simulation study of the control algorithm for a ball screw type motor-driven power steering system	11–22
Han, I.	Impact throw model for vehicle–pedestrian collision reconstruction	443–453
Hanby, V. I.	Simulation of the operation of a climatic wind tunnel	23–33
Hardie, C.	Automated tuning of an engine management unit for an automotive engine	841–850
Harris, G.	Automated tuning of an engine management unit for an automotive engine	841–850
Heydinger, G. J.	Vehicle dynamics modelling for the National Advanced Driving Simulator	307–318

© IMechE 2002

Howe, G. J.	Validation of a non-linear vehicle dynamics simulation for limit handling	319–327
Huh, K.	Implementation and vehicle tests of a vehicle stop-and-go cruise control system	537–544
Hur, J.-W.	Self-learning approach to automatic transmission shift control in a commercial construction vehicle during the inertia phase	909–920
Hwang, W. S.	Substructure analysis of complex systems using rigid body information and components	811–818
Hyde, T. H.	The design of overlapped crankshafts. Part 2: web shape	655–662
Jacobsen, B.	Potential of electric wheel motors as new chassis actuators for vehicle manoeuvring	631–640
Johns, F.	Robustness of powertrain mount system for noise, vibration and harshness at idle	805–810
Johnson, M. R.	Evaluation policies and automotive recovery options according to the European Union Directive on end-of-life vehicles (ELV)	723–740
Jones, D. N. T.	Simulation of the operation of a climatic wind tunnel	23–33
Jung, W.	A Fatigue design method for spot-welding lap joints	181–189
Jung, H.	Improving the directional stability of a traction control system without additional sensors	641–648
Kalam, M. A.	The use of an additive in biofuel to evaluate emissions, engine component wear and lubrication characterisitics	751–758
Kalsi, G.	Developments in car door latching systems	819–830
Kandylas, I. P.	Simulation of continuously regenerating diesel particulate filters in transient driving cycles	591–606
Khaewpong, N.	Comparison of upper extremity test devices for the evaluation of frontal air bags	795–804
Kim, H.-J.	Robust roll control of a vehicle: experimental study using a hardware-in-the-loop set-up	1–9
Kim, H. Y.	Simulation on the characteristic of gas flow and mixing for the location of the oxygen sensor in the exhaust system	161–169
Kim, H. S.	A combined experimental and computational appraoch to improve catalyst flow uniformity and light-off behaviour	413–430
Kim, T.	Performance of integrated engine–CVT control considering powertrain loss and CVT reponse lag	545–553
Kim, H.	Performance of integrated engine–CVT control considering powertrain loss and CVT reponse lag	545–553
Kim, H.	Improvement of fuel company by shift speed control for metal belt continuously variable transmission	741–750
Kim, H.	Hardware-in-the-loop simulation of regenerative braking for hybrid electric vehicles	855–864
Klyde, D. H.	Validation of a non-linear vehicle dynamics simulation for limit handling	319–327
Koetniyom, S.	The development of a material model for cast iron that can be used for brake system analysis	349–362
Koltsakis, G. C.	Potential of thermal methods for catalyst on-board diagnosis	565–579
Koltsakis, G. C.	Simulation of continuously regenerating diesel particulate filters in transient driving cycles	591–606
Kowalski, D.	Dynamic testing of shock absorbers under non-sinusoidal conditions	373- 384
Krishna, M.	Thermal effects on mild wear transition in dry sliding of aluminium 7075 - short glass fibre composites	975–982
Kuppa, S.	Comparison of upper extremity test devices for the evaluation of frontal air bags	795–804
Kwak, B.	Improving the directional stability of a traction control system without additional sensors	641–648
Kwon, S.-J.	Braking performance simulation for a tractor-semitrailer vehicle with an air brake system	43–54
Ladommatos, N.	Particle image velocimetry measurements of in-cylinder flow in internal combustion engines — experiment and flow structure analysis	65–81
Ladommatos, N.	Measurements and predictions of diesel soot oxidation rates	677–689
Lakshminarayanan, P. A.	Accurate prediction of the rate of heat release in modern direct injection diesel engine	663–675
Lee, H.-K.	Mathematical model of diesel fuel injection equipment incorporating non-linea fuel injection	191–204
Lee, Y. L.	Effects of body leakage on ventilation and wind noise around a sun roof	363–371
Lee, H. K.	Development of cavitation and enhanced injector models for diesel fuel injection systems simulation	607–618
Lee, J. H.	Bouncing of the diesel injector needle at the closing stage	691–700
Lee, S. Y.	Bouncing of the diesel injector needle at the closing stage	691–700
Lee, H.	Improvement of fuel company by shift speed control for metal belt continuously variable transmission	741–750
Lee, D. H.	Substructure analysis of complex systems using rigid body information and components	811–818
Lee, C. W.	Design and development of a new gasoline direct swirl injector	831–840
Lee, Y.-S.	Sliding mode control for anti-lock brake system of passenger vehicles featuring electrorheological valves	897–908

© IMechE 2002

Lee, K. I.	Self-learning approach to automatic transmission shift control in a commercial construction vehicle during the inertia phase	909–920
Lee, Y.-W.	Dynamic analysis and control of an active engine mount system	921–932
Lee, C.-W.	Dynamic analysis and control of an active engine mount system	921–932
Lewis, R.	Wear of diesel engine inlet valves and seat inserts	205–216
Li, Y.	Particle image velocimetry measurements of in-cylinder flow in internal combustion engines — experiment and flow structure analysis	65–81
Li, J.	The rapid development of a vehicle electronic control system and its application to an antilock braking system based on hardware-in-the-loop simulation	95–105
Lieh, J.	Closed-form solutions for vehicle traction problems	957–964
Lim, T. H.	Performance deterioration and durability issues while running a diesel engine with crude palm oil	785–792
Lim, T. H.	Filter clogging and power loss issues while running a diesel engine with waste cooking oil	993–1002
Liu, S.	The on-line detection of engine misfire at low speed using multiple feature fusion with fuzzy pattern recognition	391–402
Liu, Q.	Reliability-based design of automobile components	455–471
Lu, Z.-H.	Finite element simulation of the static characteristics of a vehicle rubber mount	965–974
Lujan, J. M.	Modelling of turbocharged diesel engines in transient operation. Part 1: insight into the relevant physical phenomena	431–441
Majsuki, H. H.	The use of an additive in biofuel to evaluate emissions, engine component wear and lubrication characterisitics	751–758
McMaster, J. D.	Fracture tolerance of the male forearm: the effect of pronation versus supination	649–654
Megli, T. W.	Application of dynamic band brake model for enhanced drivetrain simulation	873–882
Mehta, P. S.	Accurate prediction of the rate of heat release in modern direct injection diesel engine	663–675
Micklow, G. J.	A multistage combustion model and soot formation model for direct-injction diesel engines	495–504
Min, K.	A combined experimental and computational appraoch to improve catalyst flow uniformity and light-off behaviour	413–430
Min, K.	Effects of the oil and liquid fuel film on hydrocarbon emissions in spark ignition engines	759–772
Mokhiamar, O.	Active wheel steering and yaw moment control combined to maximize stability as well as vehicle responsiveness during quick lane change for active vehicle handling safety	115–124
Moon, I.	Implementation and vehicle tests of a vehicle stop-and-go cruise control system	537–544
Moon, S. Y.	Design and development of a new gasoline direct swirl injector	831–840
Morrey, D.	Automotive test drive cycles for emission measurement and real-world emission levels — a review	555–564
Myung, C. L.	A combined experimental and computational appraoch to improve catalyst flow uniformity and light-off behaviour	413–430
Na, B. C.	Design improvement of a high-pressure fuel pump for gasoline direct injection engines	83–90
Neal-Sturgess, C. E.	A thermomechanical theory of impact trauma	883–896
Neureder, U.	Investigation onto steering wheel nibble	267–277
Nikravesh, P. E.	A method to identify vibration characteristics of modified structures for flexible vehicle dynamics	55–63
Norman, K. D.	Multiple-bump roadholding test: description and metric interpritation	251–258
Onder, C.	Modelling of a pressure wave supercharger including external exhaust gas recirculation	217–235
Palma, E. S.	Fatigue damage analysis in an automobile stabilizer bar	865–872
Park, Y.-P.	Robust roll control of a vehicle: experimental study using a hardware-in-the-loop set-up	1–9
Park, Y.-K.	Braking performance simulation for a tractor–semitrailer vehicle with an air brake system	43–54
Park, S.	Simulation on the characteristic of gas flow and mixing for the location of the oxygen sensor in the exhaust system	161–169
Park, S.	A combined experimental and computational appraoch to improve catalyst flow uniformity and light-off behaviour	413–430
Park, Y.	Improving the directional stability of a traction control system without additional sensors	641–648
Park, Y. K.	Design and development of a new gasoline direct swirl injector	831–840
Park, Y.	An investigation into a string-stable vehicle following control strategy for stop-and-go cruise control	947–956
Payri, F.	Modelling of turbocharged diesel engines in transient operation. Part 2: wave action models for calculating the transient operation in a high speed direct injection engine	479–493
Pelc, J.	Static three-dimensional modelling of pneumatic tyres using the technique of element overlaying	709–716

© IMechE 2002

Peng, Z.	Particle image velocimetry measurements of in-cylinder flow in internal combustion engines — experiment and flow structure analysis	65–81
Psarianos, D. L.	Experimental investigation of the pressure drop in porous ceramic diesel particulate filters	773–784
Qatu, M.	Robustness of powertrain mount system for noise, vibration and harshness at idle	805–810
Raine, R. R.	Modelling of NO emissions from homogeneous and stratified charge spark ignition engines	403–412
Ramji, K.	Stiffness properties of small-sized pneumatic tyres	107–114
Rao, M. D.	Dynamic testing of shock absorbers under non-sinusoidal conditions	373–384
Roberts, E. C.	Simulation of the operation of a climatic wind tunnel	23–33
Rocca, E.	A feasibility study on elastokinematic parameter identification for a multilink suspension	153–160
Rosenthal, T. J.	Validation of a non-linear vehicle dynamics simulation for limit handling	319–327
Russell, M. F.	Mathematical model of diesel fuel injection equipment incorporating non-linear fuel injection	191–204
Russell, M. F.	Development of cavitation and enhanced injector models for diesel fuel injection systems simulation	607–618
Russo, R.	A feasibility study on elastokinematic parameter identification for a multilink suspension	153–160
Ryu, J.	Emissions performance of Korean vehicles with different vehicle specification, mileage and fuel	523–529
Ryu, N.	Implementation and vehicle tests of a vehicle stop-and-go cruise control system	537–544
Salaani, M. K.	Vehicle dynamics modelling for the National Advanced Driving Simulator	307–318
Samuel, S.	Automotive test drive cycles for emission measurement and real-world emission levels — a review	555–564
Saran, V. H.	Stiffness properties of small-sized pneumatic tyres	107–114
Schreiber, W.	A theoretical investigation of two possible modifications to reduce pollutant emissions from a diesel engine	619–628
Schreiber, P. H.	Fracture tolerance of the male forearm: the effect of pronation versus supination	649–654
Serrano, J. R.	Modelling of turbocharged diesel engines in transient operation. Part 1: insight into the relevant physical phenomena	431–441
Serrano, J. R.	Modelling of turbocharged diesel engines in transient operation. Part 2: wave action models for calculating the transient operation in a high speed direct injection engine	479–493
Sharma, S. C.	Thermal effects on mild wear transition in dry sliding of aluminium 7075 – short glass fibre composites	975–982
Sharp, R. S.	Wheelbase filtering and automobile suspension tuning for minimizing motions of pitch	933–946
Shashishankar, A.	Thermal effects on mild wear transition in dry sliding of aluminium 7075 – short glass fibre composites	975–982
Shin, H. D.	Development of cavitation and enhanced injector models for diesel fuel injection systems simulation	607–618
Sime, A. P.	The design of overlapped crankshafts. Part 2: web shape	655–662
Simon, D. E.	An alternative semiactive control method for sport utility vehicles	125–139
Sirafi, M.	Robustness of powertrain mount system for noise, vibration and harshness at idle	805–810
Smith, B. W.	Automated tuning of an engine management unit for an automotive engine	841–850
Soares, S. M. C.	Effects of atmospheric temperature and pressure on the performance of a vehicle	473–477
Sodre, J. R.	Effects of atmospheric temperature and pressure on the performance of a vehicle	473–477
Sohn, I.	A Fatigue design method for spot-welding lap joints	181–189
Song, S.-J.	A Fatigue design method for spot-welding lap joints	181–189
Song, J.	An experimental study on engine performance with high ignition energy	505–512
Song, J.	Emissions performance of Korean vehicles with different vehicle specification, mileage and fuel	523–529
Song, J.	Analysis of flame kernel development with Schlieren and laser deflection in a constant volume combustion chamber	581–590
Song, H.	Measurements and predictions of diesel soot oxidation rates	677–689
Stamatelos, A. M.	Experimental investigation of the pressure drop in porous ceramic diesel particulate filters	773–784
Staszewski, W. J.	On the need for bump event correction in vibration test profiles representing road excitations in automobiles	279–295
Steinwolf, A.	On the need for bump event correction in vibration test profiles representing road excitations in automobiles	279–295
Stone, R.	Modelling of NO emissions from homogeneous and stratified charge spark ignition engines	403–412
Stratakis, G. A.	Experimental investigation of the pressure drop in porous ceramic diesel particulate filters	773–784

© IMechE 2002

Suh, M.-W.	Condensed joint matrix method for the joint structure of a vehicle body	35–41
Suh, M.-W.	Braking performance simulation for a tractor–semitrailer vehicle with an air brake system	43–54
Suhr, J.	Condensed joint matrix method for the joint structure of a vehicle body	35–41
Sun, E.	Comparison of upper extremity test devices for the evaluation of frontal air bags	795–804
Sunwoo, M.	An experimental study on engine performance with high ignition energy	505–512
Sunwoo, M.	Analysis of flame kernel development with Schlieren and laser deflection in a constant volume combustion chamber	581–590
Tait, H.	Automated tuning of an engine management unit for an automotive engine	841–850
Thackray, L. A.	Three-point seatbelt maternal comfort and fetal safety	173–180
Thom, N. H.	Effects of weigh-in-motion errors on pavement thickness design	141–151
Tobler, W. E.	Application of dynamic band brake model for enhanced drivetrain simulation	873–882
Tsinglou, D. N.	Potential of thermal methods for catalyst on-board diagnosis	565–579
Vasilev, I. P.	Potential of use of ion implantation as a means of catalyst manufacturing	385–390
Vizhian, P. S.	Thermal effects on mild wear transition in dry sliding of aluminium 7075 – short glass fibre composites	975–982
Wade-Allen, R.	Validation of a non-linear vehicle dynamics simulation for limit handling	319–327
Walton, D.	Developments in car door latching systems	819–830
Wang, M. H.	Evaluation policies and automotive recovery options according to the European Union Directive on end-of-life vehicles (ELV)	723–740
Wang, L.-R.	Finite element simulation of the static characteristics of a vehicle rubber mount	965–974
Warrior, N. A.	The design of overlapped crankshafts. Part 2: web shape	655–662
Weber, F.	Modelling of a pressure wave supercharger including external exhaust gas recirculation	217–235
Wideberg, J. P.	Dynamic effect of the non-rigid modifie bicycle model	717–722
Wyszynski, L.	Modelling of NO emissions from homogeneous and stratified charge spark ignition engines	403–412
Xi, G.	System dynamic modelling and adaptive optimal control for automatic clutch engagement of vehicles	983–992
Yang, Y. S.	Robust roll control of a vehicle: experimental study using a hardware-in-the-loop set-up	1–9
Yang, W.-H.	Condensed joint matrix method for the joint structure of a vehicle body	35–41
Yeo, H.	Hardware-in-the-loop simulation of regenerative braking for hybrid electric vehicles	855–864
Yi, T. Y.	A method to identify vibration characteristics of modified structures for flexible vehicle dynamics	55–63
Yi, K.	Implementation and vehicle tests of a vehicle stop-and-go cruise control system	537–544
Yi, K.	An investigation into a string-stable vehicle following control strategy for stop-and-go cruise control	947–956
Yoon, H. J.	Implementation and vehicle tests of a vehicle stop-and-go cruise control system	537–544
Yu, C. W.	A comparison of combustion characteristics of waste cooking oil with diesel as fuel injection in a direct injection diesel engine	237–243
Yu, C. W.	Filter clogging and power loss issues while running a diesel engine with waste cooking oil	993–1002
Yu, F.	The rapid development of a vehicle electronic control system and its application to an antilock braking system based on hardware-in-the-loop simulation	95–105
Yu, C. W.	Performance deterioration and durability issues while running a diesel engine with crude palm oil	785–792
Yun, S. C.	A simulation study of the control algorithm for a ball screw type motor-driven power steering system	11–22
Yun, J. E.	New evaluation indices for bulk motion of in-cylinder flow through intake port system in cylinder head	513–521
Yun, S.	Effects of the oil and liquid fuel film on hydrocarbon emissions in spark ignition engines	759–772
Zhang, J.-W.	The rapid development of a vehicle electronic control system and its application to an antilock braking system based on hardware-in-the-loop simulation	95–105
Zhang, Y.	Reliability-based design of automobile components	455–471
Zhang, J.	System dynamic modelling and adaptive optimal control for automatic clutch engagement of vehicles	983–992
Zhao, H.	Particle image velocimetry measurements of in-cylinder flow in internal combustion engines — experiment and flow structure analysis	65–81
Zhao, H.-P.	The rapid development of a vehicle electronic control system and its application to an antilock braking system based on hardware-in-the-loop simulation	95–105
Zhao, H.	Measurements and predictions of diesel soot oxidation rates	677–689
Zlobin, V. N.	Potential of use of ion implantation as a means of catalyst manufacturing	385–390

© IMechE 2002